

CLIENT:		
	KW	RPM
	VOLTS	

OUTLINE DIMENSIONS FOOT MOUNTED MOTORS

SHAFT EXT.DE ONLY

WEIGHT

A	AA	AB	AC	AD'	AG	B	BB	C	H	HA	HD	K	KK	L	LG			D	DH	E	ED	F	G	GD
508	120	635	650	495	195	406	515	216	315	45	820	28	M63X1.5	1190	417			80	M20X4.2	170	140	22	71	14

CUSTOMER APPROVAL




SIGNATURE

DATE

YX3-315S 4-6P (B3)  
DIMENSION OUTLINE

ELECTRAMO®

DATE		2005.12.5	CHK	
DRAWN			APPD	
ISSUE	A	DATE	CERTIFIED BY	
ISSUE	B	DATE	CERTIFIED BY	
ISSUE	C	DATE	CERTIFIED BY	
ISSUE	D	DATE	CERTIFIED BY	



CLIENT:			
	FRAME	KW	RPM
	VOLTS		

# OUTLINE DIMENSIONS FLANGE MOUNTED MOTORS

## SHAFT EXT.DE ONLY

## WEIGHT



AC	AD	AD'	AG	AH	KK	L	LG	LM		LA	M	N	P	R	S	T		D	DH	E	ED	F	G	GD	
650	500	495	195	870	M63X1.5	1190	417	1288		24	600	550	660	0	24	6		80	M20X4.2	170	140	22	71	14	

CUSTOMER APPROVAL \_\_\_\_\_  
SIGNATURE DATE

YX3-315S 4-6P (V1)  
DIMENSION OUTLINE



DATE		2005.12.5	CHK	
DRAWN			APPD	
ISSUE	A	DATE		CERTIFIED BY
ISSUE	B	DATE		CERTIFIED BY
ISSUE	C	DATE		CERTIFIED BY
ISSUE	D	DATE		CERTIFIED BY



CLIENT:		
	KW	RPM
	VOLTS	

# OUTLINE DIMENSIONS FOOT-FLANGE MOUNTED MOTORS

# SHAFT EXT.DE ONLY

# WEIGHT

A	AA	AB	AC	AD'	AG	B	BB	C	H	HA	HD	K	KK	L	LG			D	DH	E	ED	F	G	GD
508	120	635	650	495	195	406	515	216	315	45	820	28	M63X1.5	1190	417			80	M20X4.2	170	140	22	71	14

LA	M	N	P	R	S	T
24	600	550	660	0	24	6

CUSTOMER APPROVAL

SIGNATURE

DATE

YX3-315S 4-6P (B35)  
DIMENSION OUTLINE

**ELECTRAMO®**

DATE		2005.12.5	CHK	
DRAWN			APPD	
ISSUE	A	DATE	CERTIFIED BY	
ISSUE	B	DATE	CERTIFIED BY	
ISSUE	C	DATE	CERTIFIED BY	
ISSUE	D	DATE	CERTIFIED BY	